

Notice of Allowability	Application No.	Applicant(s)
	10/734,732	ASADA ET AL.
	Examiner	Art Unit
	Matthew J Kremer	3736
The MAILING DATE of this communication apperall claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject t	plication. If not included n will be mailed in due course. THIS
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-9</u> .		
3. \boxtimes The drawings filed on <u>09 February 2004</u> are accepted by the	ne Examiner.	
 4. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give 6. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the paper No./Mail Date DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT is a content of the priority documents and the priority documents and the deposit attached Examiner's comment regarding REQUIREMENT is a content of the priority documents and the priority documents are content of the priority documents and the priority documents are content of the priority documents and the priority documents are content. 	been received. been received in Application No cuments have been received in this of this communication to file a reply IENT of this application. itted. Note the attached EXAMINER as reason(s) why the oath or declarate the submitted. ion's Patent Drawing Review (PTO- as Amendment / Comment or in the Comment of the drawing he header according to 37 CFR 1.121(sit of BIOLOGICAL MATERIAL researched.	national stage application from the complying with the requirements. S AMENDMENT or NOTICE OF ation is deficient. 948) attached Office action of the back) of d). must be submitted. Note the
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 2/17/04; 9/3/04 4. ☐ Examiner's Comment Regarding Requirement for Deposit	6. ☐ Interview Summary Paper No./Mail Da 8), 7. ☑ Examiner's Amendr	Patent Application (PTO-152) (PTO-413), te ment/Comment ent of Reasons for Allowance
of Biological Material	9.	

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In claim 1, line 4, "as" before "manner" was changed to --a--.

In claim 1, line 4, "a a" was changed to --a--.

In claim 1, line 10, --a-- was inserted before "discriminating".

In claim 3, line 3, --a-- was inserted before "second".

In claim 7, line 1, --a-- was inserted before "plethysmographic".

In claim 7, line 4, "as" before "manner" was changed to --a--.

In claim 7, line 11, --a-- was inserted after "discriminating".

Reasons for Examiner's Amendment

- 2. The above amendments were to correct minor typographical and grammatical errors in the claims. No change in the scope of the invention was intended with these amendments.
- 3. The following is an examiner's statement of reasons for allowance. U.S. Patent Application Publication 2002/0173709 to Fine et al. (Fine) teaches a method and apparatus that comprises a pressurizing assembly 24 which is capable of several

Art Unit: 3736

different pressures so as to obtain an optimal pressure. (Fig. 1 of Fine). Fine also teaches a light source and light detectors (paragraphs 0043-0044 of Fine) and a signal processor. (paragraphs 0045 and 0048 of Fine). U.S. Patent 5,638,816 to Kiani-Azarbayjany et al. (Kiani-Azarbayjany) teaches a pressurizing assembly that creates a cyclic and periodic change in the flow of blood through a fleshy medium, light sources. and light detector for synchronously detecting. (Abstract of Kiani-Azarbayjany). In regard to claim 1, Kiani-Azarbayjany, Fine, and the prior art does not teach or suggest the step of "inducing periodic vibration, characterized by a frequency, in a limb of a person in such a manner as to selectively excite a resonant response in a specified blood vessel of the person" that is combined or combinable with the other limitations of claim 1. In regard to claim 7, Kiani-Azarbayjany, Fine, and the prior art also does not teach or suggest "a vibrator for inducing periodic vibration, characterized by a frequency, in a limb of a person in such a manner as to selectively excite a resonant response in the specified blood vessel of the person" that is combined or combinable with the other limitations of claim 7.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew J Kremer whose telephone number is 571-272Art Unit: 3736

4727. The examiner can normally be reached on Mon. through Fri. between 8:30 a.m. -5:00 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Max Hindenburg can be reached on 571-272-4726. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Matthew Kremer Assistant Examiner

Art Unit 3736